

*By A. Fuller*  
12-12-05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	166/250.07,255.1,387,179,187,195,126,128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 11:16
S2	2818	166/250.07,255.1,387,179,187,195,126,128.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 11:16
S3	172	S2 and sensor\$1 and packer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 11:16
S4	150	S3 and (mems or micro with electro with mechanical or system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 11:50
S5	0	S4 and nano\$1technolog\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 11:18
S6	68	S2 and packer\$1 same sensor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 12:51
S7	63	S6 and (mems or micro with electro with mechanical or system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 11:49
S8	1	S6 and (mems or micro with electro with mechanical with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 11:49
S9	2	S3 and (mems or micro with electro with mechanical with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 12:12
S10	35527	(mems or micro with electro with mechanical with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 12:13

S11	5159	(mems or micro with electro with mechanical with system\$1) same sensor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 12:38
S12	6	S6 and setting with chamber\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 13:25
S13	6	packer\$1 same (sensor\$1 or gauge\$1) same setting with chamber\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 13:26
S14	6	packer\$1 same (sensor\$1 or gauge\$1) same setting with chamber\$1 same pressure\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 13:34
S15	351	packer\$1 same setting with chamber\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/07 13:35
S16	21	packer\$1 same setting adj chamber\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/08 08:59
S17	16	packer\$1 same guage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/08 08:35
S18	11	packer\$1 same guage\$1 same pressure\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/08 08:35
S19	2	packer\$1 same setting adj chamber\$1 and (gauge\$1 or sensor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/08 09:07
S20	1224957	"73"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/08 09:07

S21	598	73/152.17,152.36,152.22,152.52,152.55.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/08 11:51
S22	1783	73/152.17,152.36,152.22,152.52,152.55,152.46,753,749,750,730.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/08 11:56
S23	55	S22 and packer\$1 same (sensor\$1 or gauge\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:06
S24	1748	pressure\$1 same (setting with chamber\$1 or inflat\$5) same packer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:08
S25	1748	pressure\$1 same (setting with chamber\$1 or inflat\$4) same packer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:10
S26	196	pressure\$1 with (gauge\$1 or sensor\$1 or measur\$3) same (setting with chamber\$1 or inflat\$4) same packer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:12
S27	178	pressure\$1 with (gauge\$1 or sensor\$1 or measur\$3) same (setting with chamber\$1 or inflat\$4) with packer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:12
S28	126	pressure\$1 with (gauge\$1 or sensor\$1 or measur\$3) same (setting with chamber\$1 or inflat\$4) with packer\$1 same (internal or inside or within or in)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:13
S29	66	pressure\$1 with (gauge\$1 or sensor\$1 or measur\$3) same (setting with chamber\$1 or inflat\$4) with packer\$1 with (internal or inside or within or in)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:16
S30	2	"5655607".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 12:37

S31	0	S30 and packer\$1 and pressure\$1 and (gauge\$1 or sensor\$1 or measur\$3) and (setting with chamber\$1 or inflat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 10:18
S32	4144	(mems or micro with electro with mechanical with system\$1) with sensor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 12:54
S33	32	S32 and (wellbore\$1 (well adj bore\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 12:39
S34	3941	(mems or micro\$1electro\$1mechanical\$1system\$1) with sensor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 12:54
S35	32	(mems or micro\$1electro\$1mechanical\$1system\$1) with sensor\$1 and (wellbore\$1 (well adj bore\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 13:04
S36	230	nano\$1technolog\$3 same sensor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 13:06
S37	4	nano\$1technolog\$3 same sensor\$1 and (wellbore\$1 (well adj bore\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/09 13:07